

Compassionate Handling Series


Pets



Why does Compassionate Handling matter?

Handling describes how humans work with, respond to, and interact with animals within their surroundings. It is unavoidable when living and working with animals and can have profound and lasting effects on both animals and humans.

Pets



Dogs and their owners are happier after a short period of stroking and petting, showing increased dopamine, oxytocin and endorphin levels (happiness hormones).¹



Around 60% of pet rabbits find being lifted stressful and this can often cause them to struggle or show fear-related aggression.⁵



Dogs prefer gentle stroking and scratching to vocal praise, with both their owners and strangers.²



Tickling rats increases their positive vocalization and approach behaviour, decreases fear, improves handling, and in some cases decreases stress hormones.⁶



Dogs will comfort a crying person, by sniffing, nuzzling and licking.³



Regular gentle stroking and cradling of rescue kittens makes them less fearful when rehomed.⁷ Giving animals time to get used to human contact, and allowing slow introductions helps build up trust and the human-animal bond.



Pigeons learn which people are hostile towards them when giving food, and avoid them in favour of people who are calm and still.⁴

Many animals learn about how humans behave and modify their own behaviour accordingly, they can also find handling by humans pleasurable if done correctly. We commit to handling animals with compassion - wherever, whenever and with whomever it takes place - so that all animals experience a positive human-animal relationship throughout their lifetime.



Get in contact with us via email:
handling@thebrooke.org or
thebrooke.org/compassion to learn more.

#AnActOfKindness

How about posting pictures on social media of you and your pet telling us what they enjoy!



Copyright notice and terms of use:

Copyright © Brooke 2020. All rights reserved. You may copy or reproduce part or all of this work but you must properly reference and credit the author using the citation below. Any unauthorised copying or use will constitute an infringement of copyright. You may not redistribute, transmit or sell all or part of this work without our express written permission. Commercial use is strictly prohibited.

Citation:

Please use the following citation to reference the content of this document:

Brooke (2020) 'Compassionate Handling Series: Pets'

References:

- 1 Parkin et al., (2018). Occupational risks of working with horses: A Questionnaire Survey of Equine Veterinary Surgeons. DOI: <https://doi.org/10.1111/eve.12891>
- 2 Hama, Yogo, & Matsuyama, (1996). Effects of stroking horses on both humans' and horses' heart rate responses. DOI: <https://doi.org/10.1111/j.1468-5884.1996.tb00009.x>
- 3 Burden & Thiemann, (2015). Donkeys Are Different. DOI: <https://doi.org/10.1016/j.jjevs.2015.03.005>
- 4 Ali, Matoock, Fouad, & Heleskia, (2015). Are mules or donkeys better adapted for Egyptian brick kiln work? (Until we can change the kilns). DOI: <https://doi.org/10.1016/j.jjveb.2014.12.003>
- 5 Valenchon et al., (2017). Stress affects instrumental learning based on positive or negative reinforcement in interaction with personality in domestic horses. DOI: <https://doi.org/10.1371/journal.pone.0170783>
- 6 Osthaus, Proops, Hocking & Burden, (2013). Spatial cognition and perseveration by horses, donkeys and mules in a simple A-not-B detour task. DOI: [10.1007/s10071-012-0589-4](https://doi.org/10.1007/s10071-012-0589-4)
- 7 Sankey et al., (2010). Positive interactions lead to lasting positive memories in horses, Equus caballus. DOI: <https://doi.org/10.1016/j.janbehav.2009.12.037>



Brooke

2nd Floor, The Hallmark Building, 52-56 Leadenhall Street, London, EC3A 2BJ

Tel: +44 20 3012 3456 email: external.affairs@thebrooke.org

thebrooke.org  @thebrookecharity  @TheBrooke

Registered charity No: 1085760 *All photos: © Brooke*